

SAFETY DATA SHEET

Product Name: EPRISURE™ Pour-on for Cattle and Deer

SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND SUPPLIER		
Product name:	EPRISURE™ Pour-on for Cattle and Deer	
ACVM Approval No:	A11052	
Recommended use:	For the treatment and control of internal and external parasites of cattle and the internal parasites of deer.	
Company name:	Alleva Animal Health Limited	
Address:	1/116a Harris Road, East Tamaki, Auckland, 2013, New Zealand	
Telephone:	0064-9-4181405	
Emergency telephone number:	National Poisons Centre: 0800 764 766 (0800 POISON) Fire Service, Ambulance: Dial 111	
Restrictions of Use	Refer to Section 15	
Date of SDS Preparation	2 September 2021 v2	

SECTION 2: HAZARDS IDENTIFICATION

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Veterinary Medicines (Non-Dispersive Open System Application) – HSR100759

Pictograms





Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
---------------------------------	-------------	------------------

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 1 of 10

Last reviewed on: 2 September 2021



Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Hazardous to the aquatic environment acute/chronic Cat. 1	H400/410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H423	Hazardous to soil organisms
Hazardous to terrestrial vertebrates	H433	Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates	H441	Hazardous to terrestrial invertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at
	hand.
P391	Collect spillage.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement	
P501	Dispose of according to Local Regulations or Authorities	

SECTION 3: COMPOSITION			
Product form:		Liquid	
Product Components:			
Name	CAS		Proportion
Eprinomectin	123997-2	26-2	0.5% w/v
Other inert ingredients	Proprietary		To vol

SECTION 4: FIRST AID MEASURES		
Necessary first aid measures:	General Information: Remove victim from contaminated area. If	

Product name: Eprisure Pour on For Cattle and Deer

Sheet Page 2 of 10

Last reviewed on: 2 September 2021



	there is a rick of unconscious
	there is a risk of unconsciousness, position and transport in a stable lateral position. Take container/label or MSDS for identification.
	Skin Contact: Immediately remove all contaminated clothing, including footwear. Wash with water for 15 minutes. Seek medical attention if irritation persists.
	Eye Contact: Immediately wash open eye in a flow of water for at least 15 minutes. Seek medical assistance.
	Ingestion: Rinse mouth with water. Seek immediate medical assistance. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.
	Inhalation: Remove patient to fresh air, avoid breathing vapours yourself. If not breathing apply resuscitation. Seek medical assistance.
Most important symptoms and	Symptoms:
effects, both acute and delayed	Suspected of damaging fertility or the unborn child.
Notes for medical personnel:	There is no specific antidote. Apply
	symptomatic therapy.

SECTION 5: FIRE FIGHTING MEASURES		
Type of hazard:	Non-flammable, combustible, non-explosive	
Fire hazard properties:	Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.	
Extinguishing media and methods:	Sprayed water jet, foam, dry chemical powder CO2 and sand. Do not allow water to enter drains.	
Hazchem code:	3Z	
Recommended protective clothing:	Fire fighters should wear self- contained breathing apparatus in enclosed areas. Fight fire in the early stages if it is safe to do so.	

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 3 of 10

Last reviewed on: 2 September 2021



SECTION 6: ACCIDENTAL RELEASE MEASURES		
Personal Precautions:	Wear suitable protective clothing. Restrict access to contaminated area.	
Environmental Precautions:	Contain the spill and prevent further dispersion. Prevent contamination of water courses and sewers.	
Procedure for Spills:	Retrieve intact containers from the site. Place damaged containers into containment devices. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb further inert material. Collect spilled material and place in sealable containers for subsequent disposal.	
Procedure for Disposal:	Contaminated material must be disposed of at an approved landfill or other approved facility in accordance with local, regional and national requirements. Avoid contamination of any water supply with product or empty container.	

SECTION 7: HANDLING AND STORAGE		
Precautions for safe handling:	 Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective clothing as detailed in Section 8. Use personal protective equipment as required. Apply with well-maintained and calibrated equipment. Handle with care. 	
Conditions for safe storage:	Store in a cool and dry environment.	
	Keep out of reach of children.	

Product name: Eprisure Pour on For Cattle and Deer Sheet

Page 4 of 10

Last reviewed on: 2 September 2021



•	Keep locked away so that
	unauthorised persons do not
	have access.
•	Keep away from food, drink and
	animal feeding stuffs.
•	Store away from sources of
	ignition.
•	Store away from incompatible
	materials listed in Section 10.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No substance has exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2020 12TH EDITION.

Engineering controls:	Use in well ventilated area
Personal protection:	Respiratory protection: Not required.
	Hand protection: Protective gloves for chemical use including nitriles.
	Eye protection: Safety chemical goggles should be worn. Hygiene procedures: Keep the place of work clean. Avoid contact with product. Keep working clothes separate. Change badly soiled or soaked clothing. Wash hand before breaks and at the end of work. Remove contaminated protective clothing. Keep away from food stuffs, drinks and tobacco.

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 5 of 10



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear colourless to pale yellow solution
Odour	Mild odour
Odour Threshold	Not available
рН	Not available
Boiling Point	Not applicable
Melting /Freezing	Not applicable
Point	
Freezing Point	Not applicable
Flash Point	>93°C
Flammability	Not applicable
Upper and Lower	Not applicable
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not applicable
Specific	0.90 - 0.94g/mL at 20°C
Gravity/Density	
Solubility in water	Not available
Partition Coefficient:	Not available
Auto-ignition	Not applicable
Temperature	
Decomposition	Not applicable
Temperature	
Kinematic Viscosity	Not applicable

SECTION 10: STABILITY AND REACTIVITY		
Stability of the substance:	Stable under normal conditions of storage and use	
Conditions to avoid:	No specific conditions to avoid	
Material to avoid:	Store only in the container supplied. Use the recommended delivery equipment.	
Hazardous decomposition products:	None if stored and handled correctly	

SECTION 11: TOXICOLOGICAL INFORMATION	
Acute effects:	Eprinomectin
	LD50 (Oral-rats) = 55mg/kg LD50
	(Dermal-rabbits) = 406mg/kg
Swallowed	Not applicable.

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 6 of 10

Last reviewed on: 2 September 2021



Dermal Inhalation Eye Skin	Not applicable. Not applicable. Not applicable. Not applicable.
Reproductive Systemic	Suspected of damaging fertility or the unborn child.
Carcinogenicity	Not applicable.
Aspiration	Not applicable.
Germ Cell Mutagenicity	Not applicable.
STOT/RE	Not applicable.

SECTION 12: ENVIRONMENTAL INFORMATION

Very toxic to aquatic life with long lasting effects Hazardous to soil organisms Hazardous to terrestrial vertebrates Hazardous to terrestrial invertebrates

Persistence and	No data available
degradability	
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Ecotoxicity effects:	Eprinomectin is highly toxic to fish and
	extremely toxic to aquatic invertebrates. Very
	toxic to terrestrial invertebrates.

Do not allow to enter waterways or sewerage.

SECTION 13: DISPOSAL CONSIDERATIONS		
Product disposal:	Preferably dispose of product by use in accordance with label directions. Otherwise dispose of product at an approved landfill, or other approved facility in accordance with local, regional and national regulations. Avoid contamination of any water supply with product.	
Container disposal:	Dispose of empty containers by wrapping in paper and putting in garbage for disposal at an approved landfill, or other approved facility in	

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 7 of 10

Last reviewed on: 2 September 2021



accordance with local, regional and national regulations. Avoid
Hational regulations. Avoid
contamination of any water supply
with empty container.

UN No.: 3082 Class: 9 Packing Group: III Hazchem Code: 3Z Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Eprinomectin)

Limited Quantities Statement:

If the product's individual container is below 5L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG

SECTION 15: REGULATORY INFORMATION	
Regulatory status:	Veterinary Medicines (Non- Dispersive Open System Application) – HSR100759

HSW (HS) Regulations 2017	Trigger Quantity	
Signage Trigger Quantities (Schedule 3)	100L	
Emergency Response Plan (Schedule 5)	100L	
Secondary Containment (Schedule 5)	100L	
Tracking (Schedule 26)	Not required	
Certified Handlers	Not required	
Location Certificate	Not required	
HSNO Additional Controls (Restrictions of use)		
	Use for intended use only	
Hazardous Property Controls Notice 2017		
HPC Notice Part 4 Clause 47	Equipment for class 9 substances	
	must be appropriate	
HPC Notice Part 4 Clause 48	Records of application of class 9	
	pesticides and plant growth	
	regulators	

Product name: Eprisure Pour on For Cattle and Deer

Sheet Page 8 of 10



HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
HPC Notice Part 3	Hazardous substances in a place other than a workplace.
ACVM Act and Regulations	
ACVM Approval No	A11052
See <u>www.foodsafety.govt.nz</u> for	
registration controls	

SECTION 16: OTHER INFORMATION

Glossary

CAT Category

EC50 Median effective concentration.

EEL Environmental Exposure Limit.

EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC50 Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.

LD50 Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level

WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2020 12th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

This Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. ALLEVA Animal Health Limited makes no warranty with respect hereto and disclaims all liability from reliance thereon.

Product name: Eprisure Pour on For Cattle and Deer

Sheet Page 9 of 10



Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

PLEASE READ ALL LABELS CAREFULLY BEFORE USING PRODUCT.

® Registered trademark of Alleva Animal Health Limited.

Issued Date: 2 September 2021 Review Date: 2 September 2026

Product name: Eprisure Pour on For Cattle and Deer

Sheet

Page 10 of 10